

ATOM-150-480-240-AP1-80-EMS **Product Datasheet**



Overview

- 150KVA class
- Feeds up to (6) 80A/19.2KW ports:
- Service entrance rated
- Fully assembled and integrated from primary input to branch circuit output.
- Single LTE connection.
- Access Controls: QR Code
- Integral Energy Management System (EMS):

| # of Ports Charging | Output per Port (amps) | Output per Port (kW) | System Output (kW) | System Amps | MPH charging | Time to Charge (hrs): |
|------------------------|---------------------------|-------------------------|-----------------------|----------------|-----------------|-----------------------|
| 1 | 80 | 19.20 | 19.2 | 80 | 64.0 | 0.6 |
| 2 | 80 | 19.20 | 38.4 | 139 | 64.0 | 0.6 |
| 3 | 80 | 19.20 | 57.6 | 139 | 64.0 | 0.6 |
| 4 | 80 | 19.20 | 76.8 | 212 | 64.0 | 0.6 |
| 5 | 80 | 19.20 | 96.0 | 277 | 64.0 | 0.6 |
| 6 | 80 | 19.20 | 115.2 | 277 | 64.0 | 0.6 |

Pedestal Dual-port

Cable-Managed

Wallbox Dual-port

(based on average 40 mile refill and 300 wh/mile vehicle efficiency)

Compatible Charge Ports (all cables J1772 at 25')

Pedestal Dual Port

150KVA

6

100A/80A

N3R

Core Technical Specifications

System KVA Class

| EMS per NEC Article 750 | Yes | | |
|--------------------------|---|--|--|
| Input Circuit | 225A | | |
| Primary (input) Voltage | 480VAC, 3ph 4W (service) 480VAC, 3ph 3W (feeder) | | |
| Secondary Voltage | 240VAC, 3ph, 3W | | |
| Dimensions (overall) | 62"L x 40"W x 79.3"H | | |
| Skid Weight | ~1,435-lbs | | |
| Transformer Data | | | |
| KVA rating | 150 | | |
| Configuration | Δ-Δ | | |
| Temp. Rise | 150°C | | |
| Insulation Rating | 220°C | | |
| Winding material | Aluminum | | |
| Enclosure | N3R | | |
| Primary (input) OCP data | | | |
| Туре | Enclosed Circuit Breaker | | |
| Trip Rating | 225A | | |
| AIC Rating | 35K | | |
| Enclosure | N3R | | |
| Service Entrance Rating | Yes | | |
| Neutral kit | Yes | | |
| EVSE Branch Panel | | | |
| Panel Rating | 400A | | |
| | | | |

| | | Cable Fianagea | | | | |
|-------|-----------------------------------|------------------------|--|--|--|--|
| | | | | | | |
| Stand | ard Options (see next p | page for details) | | | | |
| OP1 | | | | | | |
| OP2 | | | | | | |
| OP3 | DP3 Skid Mounting - On Concrete | | | | | |
| OP4 | 4 Pedestal Mounting - On Ground | | | | | |
| OP5 | 5 Pedestal Mounting - On Concrete | | | | | |
| Softw | vare Options (see follow | ving page for details) | | | | |
| SW | Atom Insight Plus | | | | | |
| | | | | | | |


Max. Number of branch EVSE


Atom Switch rating/charge rate

Enclosure





Layout Data





Side View - Transformer Rear





Side View - Transformer Face

EVSE Panel View

Primary Input View

Top View



Standard Options



OP1: Electrical Grounding Kit - includes 2 ground rods, 2 ground rod connectors and 30' of grounding electrode conductor (#2 AWG CU bare or #1/0 AWG CU bare, depending on SKU)



OP2: Skid Mounting - On Ground - includes 4 ICC Certified helical ground screws (3" x 63" ea.), 4 support flanges (6" x 6") and necessary hardware for anchoring skid to ground.



OP3: Skid Mounting - On Concrete - includes 3/8" x 3" concrete anchors, brackets and necessary hardware for anchoring skid to concrete slab.



OP4: Pedestal Mounting - On Ground - includes 1 helical ground screw, 1 support/mounting flange and necessary hardware for anchoring pedestals to ground.



OP5: Pedestal Mounting - On Concrete - includes % x 3" concrete anchors (per pedestal) for anchoring to concrete.

Software - Atom Insight Plus



Mobile App





Atom Insight Plus Software Subscription includes:

Remote visibility and control of Atom EV charging stations including Driver Mobile App (web or native). 24/7 network monitoring, Remote troubleshooting, Local Access Control, Driver Access Groups, Multi-Site Management, Multi-User Account Management, Analytics & Reporting, and Host management capabilities to manage access to charging stations and fee policies.

Additional policies include: Driver Reservations, Driver Support, Host Support, Revenue Collection, Direct Deposit, Tiered Pricing, Time-of-Use Rates, Session limits & Idle Fees, Parking & Activation Fees for complete Revenue Management.

NOTE: Additional credit card transaction fees apply. User Guide